Elstead LIGHTING

THE Medieval Iron COLLECTION

iLight

Elstead LIGHTING

Elstead Lighting Limited
Mill Lane, Alton, Hampshire GU34 2QG.
Tel: 01420 82377 Fax: 01420 89261

Elstead LIGHTING

iLight

THE Medieval Iron COLLECTION

ELSTEAD LIGHTING

CATALOGUE 2

Elstead LIGHTING

Elstead Lighting Limited
Mill Lane, Alton, Hampshire GU34 2QG.
Tel: 01420 82377 Fax: 01420 89261

Elstead LIGHTING

THE Medieval Iron COLLECTION

iLight

Elstead LIGHTING

QUALITY LIGHTING MANUFACTURERS

Your Symbol Of Quality

For over 30 years Elstead Lighting has specialised in the manufacture of Quality Traditional light fittings and are today recognised as one of the leading suppliers within our field. Based at Alton in the heart of rural Hampshire our staff have become skilled in the blending of very traditional manufacturing methods such as Blacksmithing and Forging with modern techniques using state of the art digital and CNC equipment. As a result our products are of a constant high quality and stylish appearance yet keeping their authentic hand-made appeal. Our aims are high but simple; To supply products of outstanding quality, beauty and performance matched with levels of service unrivalled by any other.

Our latest factory facility on 1.25 acres in Alton, Hampshire

The modern Elstead lighting is a company of tireless investment, development and innovation. Recent activity includes the construction and implementation of a new 1.25 acre manufacturing facility, the installation of a robotic, semi-automatic finishing system including nearly 0.25 of a Km of on-line conveyor and the inclusion of Noral products within our offer via a dedicated and exclusive consumer range. In addition we also make a considerable commitment to our customers by way of an extensive consumer awareness programme particularly focusing on the Medieval Iron Collection and Noral brands.

Elstead Lighting Ltd, Mill Lane, Alton, Hampshire GU34 2QG
Tel: 01420 82377 Fax: 01420 89261

Contents

Within this catalogue we present 3 divisions of product offer, namely Interior Lighting and Accessories, Exterior Lighting and Contemporary low voltage Lighting. Much of our Interior Lighting range is marketed under the very successful Medieval Iron Collection branding whilst all of our own produced Outdoor Lighting is sold under the Elstead Lighting title. We also have our Contemporary Interior Lighting range which offers low voltage mirror lights, highwire systems and wall and table fittings with all of these Contemporary products marketed under our iLight brand.

The Medieval Iron Collection



This unique range of hand crafted fittings has been designed and developed to fulfil today's demand for beautiful iron lighting with a Medieval/Gothic flavour. Many styles are available as a full suite of product and these authentic models are all available in a variety of hand painted finishes.

Elstead Lighting

Being diverse yet versatile has long been our strength within our exterior range. These products are primarily manufactured from die-cast aluminium and have been specially chrome - polymer dipped prior to powder coating to ensure good long term weather durability. Consisting of products as diverse as Classical styled lanterns to typically British style lanterns to low energy Contemporary exterior fittings, we now offer the most comprehensive outdoor lighting selection in the Country.
This is endorsed by our 10 year anti - corrosion guarantee.

iLight



The iLight brand was conceived to dedicate a focused effort into stylish yet contemporary low voltage lighting. Already in the range are mirror lights, highwire systems and a suite of wall and table fittings and with a future commitment to develop the iLight division into the leading edge of lighting design.

Medieval Iron Collection

Photographic sets gratefully provided by DUCAL Ltd. Andover. 01264 333666

Stoneleigh

THE STONELEIGH RANGE

A range of downlights which still keep their Medieval appearance whilst fulfilling the needs of low ceilings. Supplied with our cream Scavo glass. Available in Black, White/Gold and Green/Gold finishes.

SL3 Shown in White/Gold Finish

SL1 Green/Gold

SL2 Green/Gold

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
SL1	Stoneleigh 1lt Wall Bkt	1 x 60W BC	–	135mm	275mm	210mm	–
SL2	Stoneleigh 2lt Wall Bkt	2 x 60W BC	–	410mm	220mm	210mm	–
SL3	3lt Flush downlight	3 x 60W BC	500mm	–	–	330mm	–

Kircaldy

THE KIRCALDY RANGE

A uniquely designed product incorporating hand worked tubular arms to cream Scavo finish Conical glass giving a contemporary look with Medieval overtones. Available in Black, Black/Gold and Green/Gold finishes.

KK3 Shown in Green/Gold Finish



KK2 Black

KK5 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
KK2	Kircaldy 2lt Wall Bkt	1 x 60W BC	–	340mm	175mm	290mm	–
KK3	Kircaldy 3lt Chandelier	3 x 60W BC	450mm	–	–	420mm	1120mm
KK5	Kircaldy 5lt Chandelier	5 x 60W BC	450mm	–	–	420mm	1120mm

Carisbrooke

THE CARISBROOKE RANGE

A range of Candelabra style Gothic fittings with distinctive hand bound wire drapes and waxed ivory candle tubes. This range is available in Black, Black/Gold and Green/Gold finishes.

CB5 Black

CB3 Black

CB1 Black

CB2 Black

CB6 Shown in Black Finish

CB8 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CB1	Carisbrooke 1lt Bkt	1 x 60W BC	–	92mm	210mm	270mm	–
CB2	Carisbrooke 2lt Bkt	2 x 60W BC	–	340mm	135mm	270mm	–
CB3	Carisbrooke 3lt Bkt	3 x 60W BC	470mm	–	–	405mm	1105mm
CB5	Carisbrooke 5lt Bkt	5 x 60W BC	470mm	–	–	405mm	1105mm
CB6	Carisbrooke 6lt Bkt	6 x 60W BC	610mm	–	–	575mm	1275mm
CB8	Carisbrooke 8lt Bkt	8 x 60W BC	860mm	–	–	700mm	1400mm

Carisbrooke

THE CARISBROOKE RANGE INCLUDING GLASS

CB1/G Shown in Black/Gold finish

To further enhance the rustic elegance of this design the addition of hand finished cream Scavo glass ensures a truly authentic Gothic flavour. This range is available in Black, Black/Gold and Green/Gold finishes.

CB2/G Black

CB5/G Black

CB6/G Black

CB3/G Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CB1/G	Carisbrooke 1lt Bkt	1 x 60W BC	–	135mm	245mm	270mm	–
CB2/G	Carisbrooke 2lt Bkt	2 x 60W BC	–	400mm	170mm	270mm	–
CB3/G	Carisbrooke 3lt Bkt	3 x 60W BC	530mm	–	–	405mm	1105mm
CB5/G	Carisbrooke 5lt Bkt	5 x 60W BC	530mm	–	–	405mm	1105mm
CB6/G	Carisbrooke 6lt Bkt	6 x 60W BC	670mm	–	–	575mm	1275mm

Chartwell

THE CHARTWELL RANGE

The subtlety of the scrolls matched to the hand - worked wire bound arms and waxed candle tubes gives this range a timeless appeal. Available in Black, Black/Gold and Verdigris finishes.

CH1 Black



CH2 Shown in Verdigris Finish

CH3 Black

CH5 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CH1	Chartwell 1lt Wall Bkt	1 x 60W BC	–	92mm	210mm	100mm	–
CH2	Chartwell 2lt Wall Bkt	2 x 60W BC	–	340mm	135mm	–	–
CH3	Chartwell 3lt Chandelier	3 x 60W BC	470mm	–	–	405mm	1105mm
CH5	Chartwell 5lt Chandelier	5 x 60W BC	470mm	–	–	405mm	1105mm

Chartwell

THE CHARTWELL RANGE INCLUDING GLASS

CH5/G Shown in Black/Gold Finish

The addition of our hand finished cream Scavo glass to this range adds to the sense of these products being truly craftsman made. Available in Black, Black/Gold and Verdigris finishes.

CH1/G Black

CH2/G Black

CH3/G Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
CH1/G	Chartwell 1lt Wall Bkt	1 x 60W BC	–	135mm	245mm	245mm	–
CH2/G	Chartwell 2lt Wall Bkt	2 x 60W BC	–	400mm	170mm	245mm	–
CH3/G	Chartwell 3lt Chandelier	3 x 60W BC	530mm	–	–	405mm	1105mm
CH5/G	Chartwell 5lt Chandelier	5 x 60W BC	530mm	–	–	405mm	1105mm

Minster

THE MINSTER RANGE

An elegant range of compact Gothic fittings designed to fit into situations of lower ceilings. With its attractive looped drape this range is as versatile as it is attractive.
Available in Black, Black/Gold and Green/Gold finishes.

MN1 Shown in Black Finish

MN6 Shown in Green/Gold Finish

MN2 Shown in Black Finish

MN3 Black

Minster

THE MINSTER RANGE

MN6/F Black

MN5/F Black

MN3/F Black

MN5 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
MN1	Minster 1lt Wall Bkt	1 x 60W BC	–	85mm	175mm	190mm	–
MN2	Minster 2lt Wall Bkt	2 x 60W BC	–	260mm	145mm	190mm	–
MN3	Minster 3lt Chandelier	3 x 60W BC	370mm	–	–	310mm	1010mm
MN3/F	Minster 3lt Flush	3 x 60W BC	370mm	–	–	335mm	–
MN5	Minster 5lt Chandelier	5 x 60W BC	370mm	–	–	310mm	1010mm
MN5/F	Minster 5lt Flush	5 x 60W BC	370mm	–	–	335mm	–
MN6	Minster 6lt Chandelier	6 x 60W BC	480mm	–	–	375mm	1075mm
MN6/F	Minster 6lt Flush	6 x 60W BC	480mm	–	–	400mm	–

Rectory

THE RECTORY RANGE

These authentic hand forged fittings offer a blend of wrought iron ruggedness and craftsmen made elegance to give a truly Medieval appearance.
Available in Black finish only.

WL7 Black

CL6 Black

WL10 Black

WL8 Black

WL9 Black

CL5 Black

CL1 Black

CL9 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
WL7	Rectory 1lt Wall Bkt	1 x 60W BC	–	110mm	170mm	110mm	–
WL8	Rectory 2lt Wall Bkt	2 x 60W BC	–	295mm	130mm	110mm	–
WL9	Rectory 1lt Wall Bkt	1 x 60W BC	–	85mm	175mm	160mm	–
WL10	Rectory 2lt Wall Bkt	2 x 60W BC	–	295mm	135mm	160mm	–
CL1	Rectory 4lt Chandelier	4 x 60W BC	670mm	–	–	90mm	750mm
CL5	Rectory 3lt Chandelier	3 x 60W BC	515mm	–	–	90mm	600mm
CL6	Rectory 6lt Chandelier	6 x 60W BC	845mm	–	–	90mm	1000mm
CL9	Rectory 3lt Chandelier	3 x 60W BC	380mm	–	–	120mm	600mm

Wall Uplighters

THE WALL UPLIGHTER RANGE

A unique range of beautiful hand made Iron Wall Uplighters to blend in with some of the themes offered throughout our Medieval Iron collection. Available in Black, Black/Gold and Green/Gold finishes. *

**WU1 not standard in Green/Gold but in Verdigris.*

WU3 Black/Gold

WU4 Shown in Green/Gold Finish

WU1* Black/Gold

WU2 Black/Gold

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
WU1	Chartwell Wall Uplighter	1 x 60W BC	–	260mm	130mm	130mm	–
WU2	Carisbrooke Wall Uplighter	1 x 60W BC	–	260mm	130mm	130mm	–
WU3	Knot/Twist Wall Uplighter	1 x 60W BC	–	260mm	130mm	260mm	–
WU4	La Torcherie Wall Uplighter	1 x 60W BC	–	370mm	170mm	180mm	–

Flush

THE FLUSH RANGE

A versatile range of functional yet elegant Flush and semi - Flush fittings from hand forged wrought iron. Available in Black, Black/Gold and Green/Gold finishes.

FR2 Shown in Black

FR1 Shown in Green/Gold Finish

FR3 Shown in Black/Gold Finish

FR4 Black

FR5 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
FR1	La Torcherie Semi-Flush	1 x 100W BC	340mm	–	–	450mm	–
FR2	Chartwell Semi-Flush	1 x 100W BC	260mm	–	–	325mm	–
FR3	La Torcherie Flush	1 x 100W BC	340mm	–	–	190mm	–
FR4	La Torcherie Chain Semi-Flush	1 x 100W BC	340mm	–	–	525mm	–
FR5	Cage Semi-Flush	1 x 100W BC	305mm	–	–	475mm	

Pendant

THE PENDANT RANGE

Following two familiar themes, our Pendant range utilises the attractive Medieval appeal of the Knot / Twist and the hand forged scroll with each style being offered in both a chain and semi-flush version. Available in Black, Black/Gold and Green/Gold finishes.



PND1 Shown in Black Finish

PND2 Shown in Green/Gold Finish

PND3 Shown in Green/Gold Finish

PND4 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
PND1	Knot Twist Pendant Chain	1 x 100W BC	340mm	–	–	385mm	765mm
PND2	Knot Twist Pendant Semi-Flush	1 x 100W BC	340mm	–	–	400mm	–
PND3	La Torcherie Pendant Chain	1 x 100W BC	340mm	–	–	410mm	790mm
PND4	La Torcherie Pendant Semi-Flush	1 x 100W BC	340mm	–	–	425mm	–

Floor & Table

THE FLOOR & TABLE RANGE

As with much of our Medieval Iron Collection, the Blacksmiths Knot/Twist used on some of these floor and table fittings give a truly Gothic flavour, further enhanced by hammered edges, delicate scrolls and hand crafted collars. Available in Black, Black/Gold and Green/Gold finishes.

TBL7 Black/Gold shown with LS3 shade

FSL1 Black shown with LS4 Shade



UPL2 Shown in Black/Gold



TBL2 Black shown with LS1 shade

TBL3 Shown in Green/Gold Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
UPL2	Knot/Twist Uplighter	1 x 100W BC	–	340mm	–	1805mm	–
TBL7	Knot/Twist Table Lamp	1 x 60W BC	–	200mm	–	600mm	–
FSL1	Knot/Twist Floor Std	1 x 100W BC	–	480mm	–	1415mm	–
TBL2	Wavy Iron Table Lamp	1 x 60W BC	–	135mm	–	355mm	–
TBL3	Swan Neck & Glass Table Lamp	1 x 60W BC	–	300mm	–	375mm	–

Floor & Table

THE FLOOR & TABLE RANGE

The floor and table range offered with our Medieval Iron Collection has been created to fulfil the growing demand for fine ironwork within the portable lighting sector. Here we show the elegant Torcherie and Pirouette ranges available in Black, Black/Gold and Green/Gold finishes.



UPL1 La Torcherie shown in Green/Gold Finish



FSL4 La Pirouette shown in Green/Gold Finish with LS4 shade

TBL6 Shown in Black/Gold Finish with LS3 Shade

TBL8 Black with LS3 shade

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
UPL1	La Torcherie Uplighter	1 x 100W BC	–	340mm	–	1710mm	–
TBL6	La Torcherie Table Lamp	1 x 60W BC	–	125mm	–	475mm	–
FSL4	La Pirouette Floor Std	1 x 100W BC	–	560mm	–	1430mm	–
TBL8	La Pirouette Table Lamp	1 x 60W BC	–	190mm	–	500mm	–

Floor & Table

THE FLOOR & TABLE RANGE

TBL4 Shown in Black/Gold finish with LS2 shade

Our latest creations incorporate even more elaborate working of Wrought Iron to further give our portable lighting the appeal of beauty in appearance yet practicality in function. Available in Black, Black/Gold and Green/Gold finishes.

TBL5 Shown in Black/Gold finish

TBL1 Black with LS2 shade

UPL4 Belvedere shown in Green/Gold finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
TBL4	Cage Table Lamp	1 x 60W BC	–	100mm	–	290mm	–
TBL5	Cage Table Lamp with Glass	1 x 100W BC	–	305mm	–	500mm	–
TBL1	Heart Scroll Table Lamp	1 x 60W BC	–	135mm	–	400mm	–
UPL4	Belvedere Uplighter	1 x 100W BC	–	400mm	–	1800mm	–

Accessories

ACCESSORIES

LS1 17cm Micro-Pleat Shade



LS2 12" Cream Drum Shade

LS3 15" Cream Drum Shade

LS4 18" Cream Drum Shade



GS01 WU4 Spare Glass
GS02 WU1/2/3 Spare Glass

GS06 Cream Scavo Cone Glass

GS03 Spare UPL/PND Glass

GS04 Spare TBL5/UPL4 Glass



GS05 Cream Scavo Bell Glass

Model/Code	Description	Diam.	Width	Height
LS1	17cm Micro-pleat Shade	170mm	–	200mm
LS2	12" Cream Drum Shade	305mm	–	175mm
LS3	15" Cream Drum Shade	380mm	–	200mm
LS4	18" Cream Drum Shade	455mm	–	235mm
GS01	WU4 Spare Glass	–	340mm	125mm
GS02	WU1/2/3 Spare Glass	–	260mm	130mm
GS03	UPL/PND Spare Glass	340mm	–	125mm
GS04	TBL5/UPL4 Spare Glass	305mm	–	135mm
GS05	Cream Scavo Bell Glass	130mm	–	130mm
GS06	Cream Scavo Cone Glass	75mm	–	90mm

Traditional British Style Lanterns

York

THE YORK RANGE

The York standard lantern range originates from the old coach lanterns of long ago and are manufactured completely from Die Cast Aluminium. These self-assembly lanterns are available in Black finish only.

BL2 Black

BL6A Rigid Tube Black

BL5 Shown in Black Finish

BL6B Chain Black

BL6C Flush Rose Black

BL7 Black



BL15 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL2	York Wall Lantern	1 x 100W BC	–	185mm	225mm	310mm	–
BL5	York Wall Lantern	1 x 100W BC	–	185mm	230mm	435mm	–
BL6A	York Rigid Tube Lantern	1 x 100W BC	–	185mm	–	260mm	–
BL6B	York Porch Chain Lantern	1 x 100W BC	–	185mm	–	200mm	500mm
BL6C	York Flush Porch Lantern	1 x 60W BC	–	185mm	–	200mm	–
BL7	York Pedestal Lantern	1 x 100W BC	–	185mm	–	315mm	–
BL15	York Half Lantern	1 x 100W BC	–	185mm	110mm	240mm	–

Hereford

THE HEREFORD RANGE

BL21B Chain shown in Black Finish

Typically English in appearance, these unique round lanterns offer decorative elegance yet functional appeal. Fully crafted in Die Cast Aluminium these self-assembly lanterns are available in Black finish only.

BL21 Black

BL21A Rigid Tube Black

BL10 Black

BL8 Black

BL13A Rigid Tube Black

BL13B Chain Black

BL12 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL8	Hereford Wall Lantern	1 x 100W BC	–	150mm	210mm	310mm	–
BL10	Hereford Wall Lantern	1 x 100W BC	–	150mm	215mm	420mm	–
BL12	Hereford Pedestal Lantern	1 x 100W BC	–	150mm	–	300mm	–
BL13A	Hereford Rigid Tube Lantern	1 x 100W BC	–	150mm	–	260mm	–
BL13B	Hereford Porch Chain Lantern	1 x 100W BC	–	150mm	–	200mm	500mm
BL21	Hereford Wall Lantern	1 x 100W BC	–	150mm	220mm	285mm	–
BL21A	Hereford Rigid Tube Lantern	1 x 100W BC	–	150mm	–	235mm	–
BL21B	Hereford Porch Chain Lantern	1 x 100W BC	–	150mm	–	175mm	475mm

Canterbury

THE CANTERBURY RANGE

A range of medium sized lanterns with typically British style window bars and elegant curves and scrolls. Manufactured from Die Cast Aluminium these self-assembly lanterns are available in Black finish only.

BL46M Black

BL15M Shown in Black Finish



DWP50M Black

BL52M Black

BL50M Black

BL48M Chain Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL46M	Canterbury Wall Lantern	1 x 100W BC	–	215mm	250mm	520mm	–
BL48M	Canterbury Porch Chain Lantern	1 x 100W BC	–	215mm	–	245mm	545mm
BL50M	Canterbury Pedestal Lantern	1 x 100W BC	–	215mm	–	400mm	–
BL52M	Canterbury Wall Lantern	1 x 100W BC	–	215mm	330mm	405mm	–
BL15M	Canterbury Half Lantern	1 x 100W BC	–	215mm	135mm	330mm	–
DWP50M	Canterbury Post Lantern	1 x 100W BC	–	215mm	–	1050mm	–

Winchester

THE WINCHESTER RANGE

BL19 Shown in Black Finish

The attractive Winchester lantern range reproduces the feel of the old candle style lanterns used hundreds of years ago. Hand crafted from cast aluminium these self-assembly lanterns are available in Black finish only.

BL18A Rigid Tube Black

BL25 Black

BL18 Black

BL18B Chain Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL18	Winchester Wall Lantern	1 x 100W BC	–	185mm	235mm	335mm	–
BL18A	Winchester Rigid Tube Lantern	1 x 100W BC	–	185mm	–	225mm	525mm
BL18B	Winchester Porch Chain Lantern	1 x 100W BC	–	185mm	–	285mm	–
BL19	Winchester Wall Lantern	1 x 100W BC	–	185mm	300mm	390mm	–
BL25	Winchester Pedestal Lantern	1 x 100W BC	–	185mm	–	410mm	–

Edinburgh

THE EDINBURGH RANGE

These large, distinctive lanterns, with their traditional windowed styling are ideal for larger installations. Fully manufactured in Die Cast Aluminium these self-assembly lanterns are available in Black finish only.

BL37 Black

BL38 Chain Shown in Black Finish

DWP33 Black

BL36 Black

BL33 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL33	Edinburgh Pedestal Lantern	1 x 150W BC	–	305mm	–	545mm	–
BL36	Edinburgh Wall Lantern	1 x 100W BC	–	305mm	365mm	505mm	–
BL38	Edinburgh Porch Chain Lantern	1 x 100W BC	–	305mm	–	340mm	640mm
BL37	Edinburgh Wall Lantern	1 x 150W BC	–	305mm	365mm	575mm	–
DWP33	Edinburgh Post Lantern	1 x 150W BC	–	305mm	–	1100mm	–

Classical Lanterns

Parish Mini

THE PARISH MINI RANGE

The Parish Mini offers the Blend of minimal, elegant styling yet fine attention to detail and quality. Manufactured from Die-Cast Aluminium these lanterns are supplied with clear glass panels and are offered in a choice of either Black or Black/Gold finishes.

PRM1 Black

PRM2 Black

PRM4 Black



PRM5 Black



Model/Code	Description	Max Wattage	W.	Proj.	H.
PRM1	Parish Mini Wall Lantern	1x100W E27	180mm	250mm	390mm
PRM2	Parish Mini Wall Lantern	1x100W E27	180mm	250mm	390mm
PRM4	Parish Mini Pedestal Lantern	1x100W E27	180mm	-	450mm
PRM5	Parish Mini Pillar Lantern	1x100W E27	180mm	-	950mm

Parish

THE PARISH RANGE

This distinctive and stylish range incorporates exceptional attention to detail and is offered in a full suite of mounting options. Manufactured from Die-Cast Aluminium these fittings are supplied with clear glass panels and are available in Black or Black/Gold finishes.

PR1 Black

PR2 Black

PR4 Black

PR5 Black











Model/Code	Description	Max Wattage	W.	Proj.	H.
PR1	Parish Wall Lantern	1x100W E27	230mm	300mm	520mm
PR2	Parish Wall Lantern	1x100W E27	230mm	300mm	480mm
PR4	Parish Pedestal Lantern	1x100W E27	230mm		540mm
PR5	Parish Pillar Lantern	1x100W E27	230mm		1040mm
PR6	Parish Midi Lampost	1x100W E27	230mm		1800mm
PR8	Parish Twin Lampost	2x100W E27	650mm		2280mm

Parish

THE PARISH RANGE

PR6 Black



PR8 Black

Bramshot

THE BRAMSHOT RANGE

The elegant Bramshot range offers compact size with practical function and is fully made from Die Cast Aluminium. Available in Black or White finishes.

BM2 Black

BM4 Black



BM3 Chain Black

BM1 Shown in Black Finish

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting H	H inc chain
BM1	Bramshot Wall Lantern	1 x 60W E27	–	160mm	215mm	330mm	–
BM2	Bramshot Wall Lantern	1 x 60W E27	–	160mm	215mm	330mm	–
BM3	Bramshot Porch Chain Lantern	1 x 60W E27	–	160mm	–	270mm	570mm
BM4	Bramshot Pedestal Lantern	1 x 60W E27	–	160mm	–	375mm	–

Medstead

THE MEDSTEAD HALF LANTERN RANGE

MD7 PIR Black

The larger cousin of the Bramshot design, The Medstead half lanterns are of a decorative and highly popular design offered in both a standard 100W version and also a passive infra red version. Made from Die Cast Aluminium and available in Black, White and Verdigris finishes. (For full specification of PIR see security section).

MD7 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
MD7	Medstead Half Lantern	1 x 100W E27	–	260mm	135mm	445mm	–
MD7 PIR	Medstead PIR Half Lantern	1 x 100W E27	–	260mm	115mm	440mm	–

Chapel Mini

THE CHAPEL MINI RANGE

Simple yet classic lines are the trademark of our Chapel Mini Range. Manufactured from Die-Cast Aluminium these fittings are offered in Black or Black/Gold finishes and come supplied with clear glass panels.



CPM1 Black

CPM2 Black

CPM4 Black

CPM5 Black



Model/Code	Description	Max Wattage	W.	Proj.	H.
CPM1	Chapel Mini Wall Lantern	1x100W E27	170mm	240mm	380mm
CPM2	Chapel Mini Wall Lantern	1x100W E27	170mm	240mm	380mm
CPM4	Chapel Mini Pedestal Lantern	1x100W E27	170mm	-	440mm
CPM5	Chapel Mini Pillar Lantern	1x100W E27	170mm	-	940mm

Chapel

THE CHAPEL RANGE

This substantial lantern range offers classical styling incorporating exceptional attention to design detail. Available in a full compliment of mounting options these Die-Cast Aluminium lanterns come supplied with clear glass panels and are available in Black or Black/Gold finishes.

CP1 Black

CP2 Black

CP4 Black

CP5 Black



CP7 Black

Model/Code	Description	Max Wattage	W.	Proj.	H.
CP1	Chapel Wall Lantern	1x100W E27	205mm	297mm	480mm
CP2	Chapel Wall Lantern	1x100W E27	205mm	297mm	440mm
CP4	Chapel Pedestal Lantern	1x100W E27	205mm	-	500mm
CP5	Chapel Pillar Lantern	1x100W E27	205mm	-	1000mm
CP6	Chapel Midi Lampost	1x100W E27	205mm	-	1790mm
CP7	Chapel 5 Side Half Lantern	1x100W E27	190mm	120mm	380mm
CP8	Chapel Twin Lampost	2x100W E27	600mm	-	2270mm

Chapel

THE CHAPEL RANGE

CP6 Black



CP8 Black

New Kingsley

THE NEW KINGSLEY RANGE



KL7 Shown in Black Finish

The New Kingsley range has been created to fulfil the need for a larger, more distinctive lantern whilst keeping its attractive classical appearance. Manufactured fully from Die Cast Aluminium and available in Black or White finishes.

KL1 Black



KL5 Black

KL2 Black

KL4 Black

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
KL1	Kingsley Wall Lantern	1 x 100W E27	–	230mm	325mm	515mm	–
KL2	Kingsley Wall Lantern	1 x 100W E27	–	230mm	325mm	515mm	–
KL4	Kingsley Pedestal Lantern	1 x 100W E27	–	230mm	–	585mm	–
KL5	Kingsley Post Lantern	1 x 100W E27	–	230mm	–	1140mm	–
KL7	Kingsley Half Lantern	1 x 100W E27	–	235mm	135mm	460mm	–

Marina Mini

THE MARINA MINI RANGE

This elegant and stylish fitting offers the blend of contemporary styling with traditional overtones. Manufactured from Die-Cast Aluminium this range is offered in Black, White or Black/Gold finishes and comes supplied with Opal Globes.

MRM1 White

MRM4 Black



MRM5 White









Model/Code	Description	Max Wattage	W.	Proj.	H.
MRM1	Marina Mini Wall Lantern	1x60W E27	230mm	260mm	340mm
MRM4	Marina Mini Pedestal Lantern	1x60W E27	230mm	-	480mm
MRM5	Marina Mini Pillar Lantern	1x60W E27	230mm	-	980mm

Marina

THE MARINA RANGE

With Styling taken from fittings seen lining many coastal resorts of Southern Europe these elegant but substantial globe fittings will compliment a variety of installations. Manufactured from Die-Cast Aluminium these lanterns are supplied with Opal Globes and are available in Black, White or Black/Gold finishes.

MR1 Black

MR4 Black

MR5 White









Model/Code	Description	Max Wattage	W.	Proj.	H.
MR1	Marina Wall Lantern	1x100W E27	280mm	330mm	440mm
MR4	Marina Pedestal Lantern	1x100W E27	280mm	-	440mm
MR5	Marina Pillar Lantern	1x100W E27	280mm	-	1000mm
MR6	Marina Midi Lampost	1x100W E27	280mm	-	1730mm
MR8	Marina Twin Lampost	2x100W E27	680mm	-	2200mm

Marina

THE MARINA RANGE

MR6 Black

MR8 White



Bentworth

THE BENTWORTH HALF LANTERN

BW7 Black

BW7 White

A compact but attractive half lantern which will fit well into both traditional or more modern situations. Using double insulated wiring and IP44 rated these lanterns are manufactured from Die Cast Aluminium, supplied with clear glass panels and are available in Black, White or Verdigris finishes.

Model/Code	Description	Max Wattage	W.	Proj.	Fitting Ht
BW7	Bentworth Half Lantern	1 x 60W E27	175mm	100mm	360mm

Farnham

THE FARNHAM RANGE

A select range of flush fittings which vary from the truly traditional appeal of the Farnham FH13 to the contemporary style of the Farnham FH12. All are supplied with a one piece Polycarbonate Lens and are fully manufactured from Die Cast Aluminium. Available in Black, White or Verdigris finishes.



FH13 Black

FH12 White



FH13 Verdigris

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht
FH12	Farnham FlushLantern	1 x 60W E27	310mm	–	110mm	–
FH13	Farnham Flush Lantern	1 x 60W E27	–	280mm	145mm	280mm

Security

SECURITY

Our range of security products are based around a collection of decorative lanterns with a Passive Infra - Red Sensor incorporated. Often used as a courtesy light, these products offer quality electronics with versatile functions resulting in attractive but very effective security lighting. Available in a choice of Black or White finish.

Adjustable range 3 mtrs to 12 mtrs
Adjustable time 10 secs to 3mins
110 degrees detection angle
100 watt switching capacity
Remote override including
Photocell only operation.

MD7 PIR

KL1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

BW1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

MD1PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

Security

SECURITY

BL5 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

RP1 PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

BL46M PIR

Adjustable range 3 mtrs to 15 mtrs
Adjustable time 20 secs to 12 mins
90 degrees detection angle - rotatable 180 degrees
300 watt switching capacity
Manual override facility.

Exterior Lighting Corner Brackets



C/BKT3 C/BKT1 C/BKT2

Model/Code	Description	Max Wattage	Diam.	W.	Proj.	Fitting Ht	Ht inc chain
BL5 P.I.R	York Passive Infa Red Lantern	1 x 100W BC	–	185mm	280mm	370mm	–
BL46M P.I.R	Canterbury Passive Infa Red Lantern	1 x 100W BC	–	215mm	295mm	455mm	–
BW1 P.I.R	Bentworth Passive Infa Red Lantern	1 x 100W E27	–	155mm	265mm	400mm	–
KL1 P.I.R	Kingsley Passive Infa Red Lantern	1 x 100W E27	–	230mm	325mm	545mm	–
MD1 P.I.R	Medstead Passive Infa Red Lantern	1 x 100W E27	–	225mm	320mm	480mm	–
MD7 P.I.R	Medstead Passive Infa Red Lantern	1 x 100W E27	–	260mm	115mm	440mm	–
RP1 P.I.R	Ropley Passive Infa Red Lantern	1 x 100W E27	–	175mm	270mm	410mm	–

Traditional Street Lighting

Wilmslow

THE WILMSLOW RANGE – COPPER

To further recreate the appearance of the Original Windsor Style lanterns these models come supplied with the lantern heads copper finish powder coated. Supplied with clear glass panels.

WSLP2/CPR

WSLB2/CPR

WSLN2/CPR

WSLL2/CPR

Model/Code	Description	Width	Height	Proj.	Max Wattage
WSLP2/CPR	Complete Post & Head Copper	585mm	3300mm	-	200W E27
WSLB2/CPR	Wall Lantern Copper	385mm	1145mm	675mm	200W E27
WSLN2/CPR	Newel Lantern Copper	385mm	1060mm	–	200W E27
WSLL2/CPR*	Lantern Head Only Copper	385mm	825mm	–	200W E27

*Includes 3.1/8" i/D Frog

Wilmslow

THE WILMSLOW RANGE – BLACK

An elegant and substantial Victorian Lamp range suitable for both Domestic and Commercial environments. The Lamp post has an access door to assist wiring installation and as with all the range is made predominantly of cast aluminium. Supplied with clear glass panels.



WSLP1/BLK

WSLB1/BLK

WSLN1/BLK

WSLL1/BLK

Model/Code	Description	Width	Height	Proj.	Max Wattage
WSLP1/BLK	Complete Post & Head Black	585mm	3300mm	-	200W E27
WSLB1/BLK	Wall Lantern Black	385mm	1145mm	675mm	200W E27
WSLN1/BLK	Newel Lantern Black	385mm	1060mm	–	200W E27
WSLL1/BLK*	Lantern Head Only Black	385mm	825mm	–	200W E27

*Includes 3.1/8" i/D Frog

Grampian

THE GRAMPIAN RANGE – COPPER

The added touch of a powder coated copper finish to these lanterns further enhances the Victorian look. Supplied with clear glass panels.



GP2/CPR

GB2/CPR

GN2/CPR

GR2/CPR

Model/Code	Description	Width	Height	Proj.	Max Wattage
GP2/CPR	Complete Post & Head Copper	410mm	2850mm	–	150W E27
GB2/CPR	Wall Lantern Copper	305mm	925mm	480mm	150W E27
GN2/CPR	Newel Lantern Copper	305mm	860mm	–	150W E27
GR2/CPR*	Lantern Head Only Copper	305mm	660mm	–	150W E27

*Includes 2" i/D Frog

Grampian

THE GRAMPIAN RANGE – BLACK

A distinctive range of Victorian Style Lanterns in black finish ideally suiting the Traditional British property. Manufactured predominantly of die cast aluminium and supplied with clear glass panels.

GP1/BLK

GB1/BLK

GN1/BLK

GL1/BLK

Model/Code	Description	Width	Height	Proj.	Max Wattage
GP1/BLK	Complete Post & Head Black	410mm	2850mm	–	150W E27
GB1/BLK	Wall Lantern Black	305mm	925mm	480mm	150W E27
GN1/BLK	Newel Lantern Black	305mm	860mm	–	150W E27
GL1/BLK*	Lantern Head Only Black	305mm	660mm	–	150W E27

*Includes 2" i/D Frog.

Contemporary Exterior Lighting

Produced in association with ares s.r.l., Milan

TECHNICAL INFORMATION

Approvals

All of our Contemporary fittings have undergone rigorous testing and carry the most stringent approval mark Ⓝ which signifies the Norwegian Nemko quality mark. The Nemko Ⓝ mark is recognised by BSi and BSi accepts that all UK conditions are met by this approval. The CE mark is our statement of conformity to the needs of each individual product as a worldwide recognised mark. These fittings are produced to CE standards and comply under CE89/336/CEE for EMC (Electro Magnetic Compatibility) and CE73/23/CEE for Electrical Material at Low Tension.

IP Ratings

These fittings have been built to the highest standards of weather protection and all have an independent IP rating. The higher the IP rating, the greater the protection from weather/atmospheric conditions. The majority of our Contemporary range are rated IP44 and above with many fittings at IP54 and IP65.

IP Rating Table

IP Rating	Level of Protection
IP23	Against solid objects greater than 12mm and against spraying water.
IP43	Against solid objects greater than Dia. 1mm and against spraying water.
IP44	Against solid objects greater than Dia. 1mm and against splashing water.
IP54	Dust protected and against splashing water.
IP65	Dust tight and against water jets.
IP67	Dust tight and against submersion.

Compact Fluorescent Lamp (CFL) Performance

Most of this range has been produced using Compact Fluorescent Lamps (CFL's). The two distinct advantages offered by the use of CFL's are low energy consumption (only 20% on average of the same used by a regular incandescent light source for the same light output) and a lamp life of around 8 times that of an average incandescent lamp.

CFL Performance/Comparison table

CFL Wattage	Lamp Cap	Incandescent Equivalent	Luminous Flux - CFL's
7w	G23	40W	600
9W	G23	53W	750
10W	G24d1	60W	825
13W	G24d1	75W	900
18W	G24d2	100W	1200
26W	G24d3	2x75W	1800
36W	2G10	200W	2900

Specials/Non Standard Options

To meet the needs of today's demanding marketplace we can offer the following option considerations upon application:-

a) Colour - products can be produced in 3 alternative base colours, being White, Graphite and Aluminium. (Check catalogue for each range colour availability as standard). On top of these any RAL or BS colour can be specified to order.

b) Lamp Source - Some products can be converted to alternative lamp sources including Mercury, Halogen and Incandescent. Some products can also have their CFL wattage lowered or increased.

c) Bollards/Columns - Where required, Bollard heights can be raised or lowered and in some cases have Twin lamp heads incorporated. Lamppost columns can also be altered where needed and also be substituted by taller, more substantial alternatives that go up to 4 metres in height.

Where any of the above options are required please submit full details so that accurate quotations can be offered. Please bear in mind that delivery periods will be extended by many of the above options.

Olympic

IP44

THE OLYMPIC RANGE

The Olympic range offers contemporary styling matched with high technical performance. Each fitting is supplied with an 18W CFL low energy unit, opal PMMA globes and is available in black finish only. Post fittings are available with a choice of columns.

Olympic A1 Black

Olympic B1 black (head only)
specify column seperately



Olympic B2 black (head only)
specify column seperately

Olympic B3 black (head only)
specify column seperately

Olympic cap
(mandatory adaptor if
specifying column B or C)

Column D Black
60mm Ø tube
height excluding head 1000mm
or 2000mm



Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)





Model/Code	Light Source	IP Rating	H.	W.	Proj
Olympic A1	1x18W CFL-G24d2	IP44	360mm	300mm	340mm
Olympic B1	1x18W CFL-G24d2	IP44	360mm	300mm	-
Olympic B2	2x18W CFL-G24d2	IP44	385mm	700mm	-
Olympic B3	3x18W CFL-G24d2	IP44	385mm	680mm	-

Strasbourg

IP44

THE STRASBOURG RANGE

With it's contemporary looks matched with versatility the Strasbourg is a competent and professional product offered in either a basic version using E27 100W or a more high specification using 2x18W CFL low energy units. These fittings are available in black or white finish and use self-extinguishing polycarbonate lenses. Post fittings are available with a choice of columns.

Strasbourg A1 Black

Strasbourg B2 White (heads only)
Specify columns separately.



Strasbourg B1 Black (head only)
Specify columns separately.



Column B Black
48mm Ø - 70mm Ø tube
adjustable height 1250mm
min to 2100mm max
(excluding heads)

Column C Black
48mm Ø - 70mm Ø tube
includes access door
adjustable height 1250mm
min to 2100mm max
(excluding heads)



Column A Black
48mm Ø tube
height excluding head 1000mm

Model/Code	Light Source	IP Rating	H.	W.	Proj
Strasbourg A1	2x18W CFL-G24d2	IP44	420mm	300mm	480mm
Strasbourg A1/27	1x100W E27	IP44	420mm	300mm	480mm
Strasbourg B1	2x18W CFL-G24d2	IP44	420mm	450mm	-
Strasbourg B1/27	1x100W E27	IP44	420mm	450mm	-
Strasbourg B2	4x18W CFL-G24d2	IP44	420mm	910mm	-
Strasbourg B2/27	2x100W E27	IP44	420mm	910mm	-

Rouen

IP65

THE ROUEN RANGE

The Rouen offers professional performance with style and adaptability expected from a specification level exterior spotlight. Available in wall, groundspike and bollard mounted versions the Rouen is supplied with tempered glass and in black finish.

Rouen A1 shown on groundspike.

Rouen A1 shown on groundspike

Rouen A1 shown on 60mm Ø column.

Rouen A1 wall mounted.





Rouen groundspike

Model/Code	Light Source	IP Rating	H.	W.	Proj
Rouen A1	1x100W E27	IP65	210mm	140mm	260mm

Stockholm

IP44

THE STOCKHOLM RANGE

The Stockholm achieves the blend of classical lines with contemporary appearance and is supplied with a self extinguishing opal polycarbonate lens. Available in black or white finish.

Stockholm A1 white

Stockholm A1 black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Stockholm A1	1x100W E27	IP44	380mm	235mm	145mm

Zurich

IP54

THE ZURICH RANGE

The Zurich is a product of exceptional performance and quality and is fitted with 2x13W CFL low energy lamps. Supplied with a tempered sandblasted glass these fittings are offered in Black, White or Chrome finishes. (Bollard not available in chrome).



Zurich B1/1000 Black

Zurich AI White



Zurich AI White



Zurich AI Black



Zurich AI Chrome





Model/Code	Light Source	IP Rating	H.	W.	Proj
Zurich AI	2x13W CFL-G24d1	IP54	170mm	275mm	170mm
Zurich B1/1000	2x13W CFL-G24d1	IP54	1000mm	300mm	250mm

Marrakesh

IP65

THE MARRAKESH RANGE

With it's unique appearance and clever design, the Marrakesh offers the opportunity of being specified in a variety of installations from offices and urban buildings through to comtemporary domestic properties. Supplied with an 18W CFL low energy unit and self extinguishing polycarbonate lens this range is available in black finish only as standard.



Marrakesh AI Black



Marrakesh AI Black



Marrakesh BI/1000 Black





Model/Code	Light Source	IP Rating	H.	W.	Proj
Marakesh AI	1x18W CFL-G24d2	IP65	250mm	250mm	125mm
Marakesh B1/1000	1x18W CFL-G24d2	IP65	1000mm	250mm	150mm

Roma

IP54

THE ROMA RANGE

An extremely versatile yet attractive fitting, giving 4 mounting options from the same model. Available in black or white finish and offering high performance from the 2x13W low energy units. The Roma is fitted with tempered, sandblasted glass, and suitable for wall or ceiling installation.



Roma A1 black mounting option 3/4

Roma AI Black Mounting option 1



Roma AI Black Mounting option 2



Model/Code	Light Source	IP Rating	H.	W.	Proj
Roma A1	2x13W CFL G24d1	IP54	260mm	260mm	85mm

Budapest

IP54

THE BUDAPEST RANGE

A functional yet attractive wall or ceiling bulkhead fitting, offering high performance from the 2 x 13W low energy units. Includes in the range a 1 metre bollard and are all available in black or white finishes (also chrome on A1 version) with tempered, sandblasted glass and suitable for wall or ceiling applications.



Budapest AI Chrome

Budapest AI Black

Budapest AI White



Budapest BI/1000



Model/Code	Light Source	IP Rating	H.	W.	Proj
Budapest A1	2x13W CFL G24d1	IP54	230mm	230mm	62mm
Budapest B1/1000	2x13W CFL G24d1	IP54	1000mm	300mm	142mm

Madrid

IP54

THE MADRID RANGE

The Madrid is a unique, versatile and compact fitting designed to be mounted in 3 ways; 2 wall and 1 recessed wall. Offering good light performance for such a small fitting each unit is fitted with an 18W CFL low energy unit and is supplied with tempered sandblasted glass. Available in black only.

Madrid A1 Black



Madrid A2 Black





Madrid B1/1000 Black



Madrid A2 Black



Madrid wall box - mandatory if recessing fitting.



Madrid A1 Black



Madrid wall box

Model/Code	Light Source	IP Rating	H.	W.	Proj
Madrid A1	1x18W CFL-G24d2	IP54	125mm	230mm	100mm
Madrid A2	1x18W CFL-G24d2	IP54	125mm	230mm	100mm
Madrid B1/1000	1x18W CFL-G24d2	IP54	1000mm	300mm	100mm

Athens

IP54

THE ATHENS RANGE

The Athens shares the blend of contemporary with almost gothic yet there is nothing traditional in the performance of this fitting. Available in black or white finishes, this model is fitted with an 18W CFL low energy light source and also benefits from a tempered sandblasted glass.





Athens A1 Black

Athens A1 White

Model/Code	Light Source	IP Rating	H.	W.	Proj
Athens A1	1x18W CFL-G24d2	IP54	220mm	160mm	180mm

Nice

THE NICE RANGE

IP43/IP44

The Nice series offers a wall and Bollard fitting range which portray simple elegance with contemporary styling. Available in Black or white finish these fittings offer good light performance through their 18w CFL low energy units and are supplied with self-extinguishing Polycarbonate lenses.



Nice AI Black





Nice BI/1130 Black and White



Nice BI/1130 White

Model/Code	Light Source	IP Rating	H.	W.	Proj
Nice AI	1x18W CFL-G24d2	IP43	330mm	130mm	200mm
Nice BI/1130	1x18W CFL-G24d2	IP44	1130mm	130mm	-

Antwerp

THE ANTWERP RANGE

IP43/IP44

For the more modern installation the Antwerp will be ideal, offering a blend of exceptional lighting performance matched with it's striking design. Fitted with 26W CFL low energy units this range is available in Black or White finish and is supplied with a PMMA lens.

Antwerp AI Black





Antwerp BI/1130 Black and White





Antwerp BI/1130 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Antwerp AI	1x26W CFL-G24d3	IP43	330mm	130mm	200mm
Antwerp BI/1130	1x26W CFL-G24d3	IP44	1130mm	130mm	-

Lisbon

IP54

THE LISBON RANGE

Designed to be functional, yet offering style and performance, the Lisbon series will fit within a wide variety of applications and offers good performance of light output through the 2x9W CFL low energy units. The fittings are supplied with self extinguishing Polycarbonate lenses and are available in Black or White finish except Lisbon A3 which is also available in a chrome plated finish.

Lisbon A3 Black



Lisbon A1 Black



Lisbon A2 Black



Lisbon A3 Black



Lisbon A3 Chrome



Lisbon A1 Black



Lisbon A2 Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Lisbon A1	2x9W CFL-G23	IP54	260mm	150mm	110mm
Lisbon A2	2x9W CFL-G23	IP54	150mm	260mm	110mm
Lisbon A3	2x9W CFL-G23	IP54	260mm	150mm	110mm

Atlanta

IP65

THE ATLANTA RANGE

Angular, contemporary styling matched with compact dimensions ensures this fitting will suit a wide variety of applications. Fitted with a self- extinguishing Polycarbonate lens and available in Black finish only as standard.



Atlanta A1 Black

Atlanta A1 Black



Atlanta B1/500



Model/Code	Light Source	IP Rating	H.	W.	Proj
Atlanta A1	1x13W CFL-G24d1	IP65	215mm	215mm	100mm
Atlanta B1/500	1x13W CFL-G24d1	IP65	500mm	300mm	180mm

Odense

IP65

THE ODENSE RANGE

Odense is the most compact fitting within the range designed to fulfil the need of small size with contemporary looks. Available in a choice of 2 light sources and colours with each fitting supplied with an opal self extinguishing polycarbonate lens.



Odense A1 White

Odense A1 Black



Odense A1 Black



Odense A1 Black



Model/Code	Light Source	IP Rating	H.	W.	Proj
Odense A1	1x7W CFL-G23	IP65	115mm	190mm	110mm
Odense A1/14	1x60W E-14	IP65	115mm	190mm	110mm

Venezia

IP44

THE VENEZIA RANGE

The Venezia is a distictive yet modern exterior bulkhead downlight. Aided by it's conical reflector this unit offers good lumen performance provided by the 18W CFL low energy light source. Available in black only and supplied with a toughened clear glass lens.



Venezia A1 Black



Venezia A1 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Venezia A1	1x18W CFL-G24d2	IP44	230mm	130mm	-

Malmo

IP65

THE MALMO RANGE

The Malmo series is arguably the most comprehensive offer within our range, varying from 170mm to 380mm in diameter size, from E14 60W Incandescent to 36W CFL low energy and from wall to ceiling to Bollard. Exceptional specification, attractive, clinical looks and high performance light output will ensure this range will meet the most demanding requirements. Fully available in black finish, together with 2 models available in our distinctive chrome finish these fittings are supplied with self-extinguishing Polycarbonate lenses.





Malmo A1
Chrome



Malmo A2
Chrome

Malmo A1
Black

Malmo A2 Black

Malmo A3 Black





Malmo A4 Black

Malmo A4 Black



Malmo B4/1000 Black

Model/Code	Light Source	IP Rating	H.	W.	Proj
Malmo A1	1x10W CFL-G24d1	IP65	170mm	170mm	80mm
Malmo A1/14	1x60W E-14	IP65	170mm	170mm	80mm
Malmo A2	2x13W CFL-G24d1	IP65	270mm	270mm	110mm
Malmo A3	1x36W CFL-2G10	IP65	380mm	380mm	120mm
Malmo A4	2x13W CFL-G24d1	IP65	270mm	270mm	120mm
Malmo B4/1000	2x13W CFL-G24d1	IP65	1000mm	270mm	145mm